

This document lists all known GLM-related changes to the Ground System (GS) software since initial deployment. The GS makes fixes through series of ADRs and WRs. Some fixes are minor while others take longer to diagnose and remedy. The WRs are implemented in new versions of the GS software that are first deployed in the Development Environment (DE) then the Operational Environment (OE). New versions are indicated by three sets of integers (e.g., DO 04.04.02). The first is the GS software version, the second indicates software patches, and the third signifies emergency patches. The Product Readiness and Operations (PRO) team developed a system to integrate less complicated fixes into the GS outside of the more rigorous GS process. The PRO team makes changes to the GS software and releases (PR) patches that follow the same numbering system. Most updates to the lookup tables (e.g., Rev G LUTs) follow the PR path. The following list is complete as of the date referenced above, and this document will be updated periodically.

GOES-R GLM Data Validation-Level Dates

GOES-R Satellite	Validation-Level	Date
GOES-16	Beta	07/05/17
GOES-16	Provisional	01/19/18
GOES-17	Beta	10/02/18
GOES-16	Full	11/01/18
GOES-17	Provisional	12/20/18
GOES-17	Full	02/24/21

Ground Segment Update Schedule:

Software Build	Date	Time (UTC) (16/17)
DO.04.02.00	01/13/17	15:00
DO.04.03.00	02/17/17	21:53
DO.04.04.00/.01	04/24/17	19:52
PR.04.04.07	06/28/17	20:00
DO.05.00.00	07/24/17	17:00
PR.05.00.01	09/07/17	18:41
DO.06.00.00	10/31/17	17:22
PR.06.01.00	11/30/17	18:41
DO.06.02.00	11/28/17	16:46
PR.06.02.03	12/14/17	15:10

PR.06.02.05	01/10/18	21:46
PR.06.07.00	02/21/18	
DO.06.03.00	06/19/18	15:27
DO.07.00.00	10/15/18	
PR.07.01.00	10/29/18	
PR.07.02.00	11/05/18	19:25
PR.07.03.00	11/15/18	18:48
PR.07.03.04	11/15/18	
PR.07.06.00	01/28/19	
PR.07.08.00	02/27/19	19:46
PR.07.10.05	04/30/19	15:19
DO.08.00.00	07/25/19	15:11 / 17:21
DO.09.02.00	10/27/20	17:26/ 18:33
Outstanding	TBD	

Table 1: ADR/WRs Resolved in DO.04.02 (01/13/17)

WR	Description
1948	GLM Group Energy Values are all set to the minimum value
1948 1950 2284	GLM energy discrepancies
2267	Improve GLM LCFA algorithm error-handling
2284	Different units between GLM L1b and GLM L2
1935	GLM Eastern RTEP mapping appears incorrect
1937	GLM L2+ product metadata errors
3556	Update GLM Navigation Parameters
3557	Update GLM RTEP Map

[\(Back to Ground Segment Update Schedule\)](#)

Table 2: ADR/WRs Resolved in DO.04.03 (02/17/17)

WR	Description
3315	Zero Pixels at RTEP corners in GLM Background Image
3702	GLM not producing background images

[\(Back to Ground Segment Update Schedule\)](#)

Table 3: **ADR/WRs Resolved in DO.04.04.00/.01 (04/24/17)**

WR	Description
1949	GLM appears to have Timing Artifacts
2061	GLM OP - Change Event Filter Order to match GLM CDRL-80 Rev F
2063	GLM OP - Implement Overshoot Filter
2064	GLM OP - Implement Solar Glint Filter
2065	GLM OP - Implement Crosstalk Filter
2066	GLM OP - Update event energy computation
2067	GLM OP - Update Block-Level Metadata
2068	GLM OP - Update INR Implementation to GLM CDRL-46 Rev H
2234	Event and group count variables differ from the events, group data arrays
3033	GLM L2+ start/end times incorrect, ETE4b using MVTDS-Synthetic data
4255	GLM LCFA file names have invalid start/end date times and don't meet latency requirements

[\(Back to Ground Segment Update Schedule\)](#)

Table 4: **ADR/WRs Resolved in PR.04.04.07 (06/28/17)**

WR	Description
	<p>Implement GOES-16 GLM FM1 CDRL079 Rev G</p> <p>Rev G Change Table:</p> <p>Submitted HDF5 files for all 3 positions, and both sides of the instrument with the final PLT determined INR parameters for FM1. Interim updates for event filter parameters and corrections to the radiometric calibration are also included. The changes to the HDF5 file are as follows:</p> <ol style="list-style-type: none"> 1. Added latest thresholds 2. Set all A/B optical distortion coefficients to 0 3. Updated PIT to remove ambiguous coasts (padded with the final value to be the same variable size as previous release) 4. Updated coastline ID observation start and stop times 5. Updated max solar angle 6. Updated all coherency filter parameters 7. Updated glint update period 8. Updated mask slightly (3 pixels changed) 9. Corrected errors in calibration table – no more negative calibration coefficients 10. Updated coastline ID parameters: water threshold, midnight offset, initial alignment values, bipod coefficients, earth rotation rate (more significant figures), and earth rotation angle offset (more significant figures), water min, min coastline pixels

	<p>11. Updated the second level thresholds to correct an indexing error In addition to the updates to the HDF5 file, included with this CDRL submission is an update to the primary side calibration table to be used for GLM backgrounds described in section 5.2 and originally submitted under rev C. The calibration table included in the HDF5 file is for events only.</p>
--	--

[\(Back to Ground Segment Update Schedule\)](#)

Table 5: ADR/WRs Resolved in DO.05.00 (07/24/17)

WR	Description
1935	GLM Eastern RTEP mapping appears incorrect
1937	GLM L2+ product metadata errors
3556	Update GLM Navigation Parameters
3557	Update GLM RTEP Map

[\(Back to Ground Segment Update Schedule\)](#)

Table 6: ADR/WRs Resolved in PR.05.00.01 (09/07/17)

WR	Description
	<p>Implement GOES-16 GLM FM1 CDRL079 Rev H</p> <p>Rev H Change Table:</p> <p>Updated parameters for most of the event filtering parameters per GLM-004 test report (GLM06593), and added data quality algorithm parameters based on the preliminary data quality product described in GLM06090 under CDRL038 rev B.</p> <p>Detailed list of changes:</p> <ol style="list-style-type: none"> 1. Updated second level thresholds to reapply the minimum on board threshold for that channel 2. Updated overshoot filter LUT based on on-orbit data 3. Updated contrast leakage parameters to essentially turn off the filter 4. Updated glint filter parameters 5. Updated coherency filter parameters <ul style="list-style-type: none"> Probability table based on on-orbit thresholds and higher amplitudes remaining after the second level threshold removes low amplitude events 6. Updated CCD frame transfer filter parameters to essentially turn off the filter 7. Added data quality parameters 8. Incorporated scaling changes into temperature conversion coefficients to mitigate focal length calculation errors that were causing nav issues (significant change)

[\(Back to Ground Segment Update Schedule\)](#)

Table 7: ADR/WRs Resolved in DO.06.00 (10/31/17)

WR	Description
5140	Banded Structure in Group Geolocation GLM L2 – Fixed “Charlie Brown” stripes in L2 groups – also should greatly reduce the splitting of individual GLM flashes
2062	GLM OP - Implement data formatter burst filter
4017	GLM INR update to CDRL 46 Rev K
2691	Abnormally large group areas in the L2+ products
4589	Time offset of events, groups and flashes, GLM L2+ (only corrected in L1b)
4709	Baseline: GLM CALINR update to CDRL 79 Rev H

[\(Back to Ground Segment Update Schedule\)](#)

Table 8: ADR/WRs Resolved in PR.06.01.00 (11/30/17)

WR	Description
4948	GLM L2 event time now has changed scale_factor = 1 millisecond

[\(Back to Ground Segment Update Schedule\)](#)

Table 9: ADR/WRs Resolved in DO.06.02 (11/28/17)

WR	Description
4762	Radiation ‘dots’, removing single-group flashes
4780	Duplicate events - Duplication dots are no longer present
5162	GLM E-W Event Navigation Error
5284	Interim solution - GLM Event Geolocation Does Not Match Vendor Results

[\(Back to Ground Segment Update Schedule\)](#)

Table 10: ADR/WRs Resolved in PR.06.02.03 (12/14/17 or PR.06.03.00 12/15/17)

WR	Description
5545	GLM LUT update for East. Update to glint filter spot amplification and contrast leakage GS parameters ***Included fix to GLM Data Burst Filter – fixed issue of crash induced empty files***

[\(Back to Ground Segment Update Schedule\)](#)

Table 11: ADR/WRs Resolved in PR.06.05.00 (01/10/18)

WR	Description
----	-------------

5426	Improves the GLM L1b algorithm by fixing the second level threshold filter and the overshoot filter. A new rpm is installed to fix these issues.
------	--

[\(Back to Ground Segment Update Schedule\)](#)

Table 12: **ADR/WRs Resolved in PR.06.07.00 (01/29/18) or PR.06.08.01 (02/21/18)**

WR	Description
5301	GLM LUT pre-launch update for GOES-S

[\(Back to Ground Segment Update Schedule\)](#)

Table 13: **ADR/WR Resolved in DO.06.03 (06/19/18)**

WR	Description
4762	Radiation 'dots', removing single-group flashes
4948	Lightning L2 event time scale_factor is incorrect – PRO Type 1
5399	The GLM L1 EFRC service periodically crashes when processing live data

[\(Back to Ground Segment Update Schedule\)](#)

Table 14: **ADR/WRs Resolved in DO.07.00 (10/15/18)**

WR	Description
3561	Update GLM EFRC Algorithm to use updated CALINR format provided by GLM Flight
4477	GLM L2 LCFA product has 'n/a' for production_data_source
4507	Use adjusted event times in Lightning L2+ product (TOF & associated)
4696	Group and flash areas GLM L2 (Discrepancy 20% between GS & LM) areas
5545	GLM L1b LUT update for East- PRO Release Type 1
5525 4695	Orphan and childless events and groups in GLM L2 & Family Links

[\(Back to Ground Segment Update Schedule\)](#)

Table 15: **ADR/WRs Resolved in PR.07.01.00 (10/29/18)**

WR	Description
6217	Update GOES-16 GLM LUT to CDRL 79 Rev J Updated lightning ellipsoid values (solves ADR637 (Parallax Lite)) New 2 nd -level threshold filter w/32 levels/pixel to mitigate Bahama Bar

[\(Back to Ground Segment Update Schedule\)](#)

Table 16: **ADR/WRs Resolved in PR.07.02.00 (11/05/18)**

WR	Description
5930	An overflow valve for when 'burst event' will cause an abnormal amount of false events to be registered in the L1b file. This surge of events causes L2 processing to bog down due to the large number events to process. The result is empty L2 files for a large period of time (multiple hours) while the algorithm either catches up or is restarted.

[\(Back to Ground Segment Update Schedule\)](#)

Table 17: **ADR/WRs Resolved in PR.07.03.00 (11/15/18)**

WR	Description
6749	GLM L2 lightning data products needs _unsigned attribute on time offsets

[\(Back to Ground Segment Update Schedule\)](#)

Table 18: **ADR/WRs Resolved in PR.07.03.04 (11/15/18)**

WR	Description
6681	Update GOES-17 GLM LUT to CDRL079 Rev C (GLM FM2) Updated the flat 2nd level threshold to mute the hot pixels

[\(Back to Ground Segment Update Schedule\)](#)

Table 19: **ADR/WRs Resolved in PR.07.06.00 (01/28/19)**

WR	Description
6558	Change GLM L2 Group and Flash Area units from km ² to m ²

[\(Back to Ground Segment Update Schedule\)](#)

Table 20: **ADR/WRs Resolved in PR.07.08.00 (02/27/19)**

WR	Description
6097	Implement GLM 2 nd -level threshold filter code change (for optimal threshold adjustment)
6098	Implement GLM Data Burst filter code change (allows variable number of RTEPs within a Data Formatter to observe a data burst instead of the fixed value of four (4))

[\(Back to Ground Segment Update Schedule\)](#)

Table 21: **ADR/WRs Resolved in PR.07.10.05 (04/30/19)**

WR	Description
7095	GOES-16 GLM FM1 CDRL 79 Rev K LUT

	<ul style="list-style-type: none"> Updated the coherency probability LUT to bias it 3 DN above the average RTEP threshold. False alarms from subarrays with higher noise (subarray 35 in particular) were causing problems for forecasters, so the probability table needs to be closer to the higher noise subarrays rather than a true average. Turned the contrast leakage filter back on. The jitter test is now run, and the leakage fraction is set to 1.0. Updated the second level threshold to better handle the “Bahama Bar” phenomena in subarrays 7, 19, 20, 26, 35, 47, 48 and 54.
7095	<p>GOES-17 GLM FM2 CDRL 79 Rev D LUT</p> <ul style="list-style-type: none"> Enabled contrast leakage filter with leakage fraction = 2.0 Updated second level thresholds to balance threshold-to-noise ratio, to better suppress hot pixel false events, and to suppress “Bahama Bar” false lightning artifacts Updated radiometric calibration to remove NaN values Updated ZRDQ parameters for the data quality product based on PLT-006 test

[\(Back to Ground Segment Update Schedule\)](#)

Table 22: **ADR/WRs Resolved in DO.08.00.00 (07/25/19)**

WR	Description
4758	GLM L1b INR – GLM Event Geolocation Does Not Match Vendor Results – Minor corrections to the GLM event navigation implementation.
4697	GLM L1b – GLM Blooming Filter – This adds the Blooming Filter to the suite of false event filters used in the GLM L1b ground processing algorithm to remove false lightning event detections. The blooming filter removes false events which can occur during solar glint and solar intrusion.
6096	GLM L1b – LUT Filenames not Traceable to Metadata - ABI GLM – ABI and GLM metadata will now include the names of the LUTs used in production.
6116	GLM L2 – GLM L2+ LCFA Product's Yaw Flip Flag is fill – The GLM L2 product will now output the correct yaw flip state. It was previously fill.

[\(Back to Ground Segment Update Schedule\)](#)

Table 23: **ADR/WRs Resolved in PR.08.03.04 (10/02/19)**

WR	Description
7369	GLM Optical Energy Distortions in PDA Stream – GLM L2 Event Energy Resolution Coarser than Vendor Values – Analyzed instrument calibration data and on-orbit observations to determine optimal scale_factor and add_offset semi-static parameters for storing lightning event, group and flash data in GLM L2 data product files.

7369	GLM Zero Energy Events and Groups – Deficiency associated with the coarse energy resolution due to the semi-static parameters. Algorithm deficiency corrected using solution to ADR738.
------	---

[\(Back to Ground Segment Update Schedule\)](#)

Table 24: **ADR/WRs Resolved in DO.09.02.00 (10/27/20)**

WR	Description
5480	GLM Lightning LCFA L2 Radiation Filter Threshold – Radiation filter threshold, with a threshold value of two (pass single-group-flashes (SGFs) containing two or more events).
6809	GOES-17 GLM Event Longitude Values – Correct event geolocation for events west of 180°.
6865	GLM Geolocate Does Not Handle Empty EFRC Output Correctly
7129	Time Error in GLM Metadata – The metadata of GLM-16 and GLM-17 data product files sometimes includes incorrect time information.

[\(Back to Ground Segment Update Schedule\)](#)

Table 25: **Active-Outstanding ADR/WRs**

ADR/WR	Status	Description
549/6412	Analysis_Complete	Eliminate GLM L1b dependency on APIDs 384 and 385
906/7178	In_Analysis	GLM L1b – Ingest Directly Instrument Vendor CDRL079 Calibration Data Books
1060/7538	In_Analysis	Interim Solution to Facilitate GLM Gridded Data
1109/7990	In_Work	GLM Flash Area equals Fill Value for Large Flashes
1140/xxxx	On_Hold	GLM Time Order Rule Change (Update to ADR375)
xxxx/6690	In_Work	GLM L1b intermediate metadata inconsistent with product data

Dormant-Outstanding ADR/WRs

ADR461: GLM L2 Data Quality Product

ADR646: GLM Gridded Product

Glossary

ADR	Algorithm Deficiency Report
Cal/Val	Calibration and Validation Efforts and/or Team
DE	Development Environment
DO	Data Operations
EFRC	Event Filter and Radiometric Calibration – a component of the GS implementation of GLM GPA

GLM	Geostationary Lightning Mapper
GLM OP	GLM Operational Prototype
GPA	Ground Processing Algorithm
GS	Ground Segment
LUT	Look-Up Table
OE	Operational Environment
PRO	Product Readiness and Operations Team
PR	PRO Release
WR	Work Request

Document composed and maintained by Scott Rudlosky (NESDIS/STAR) and Pete Armstrong (MIT LL)